

AliFrost® Doors & Blum AVENTOS Overhead Lift Systems



Let Wilson & Bradley customise the latest European style AliFrost® Aluminium Doors for you!

• 55 Slimline/Midnight Black S29221



**WILSON &
BRADLEY**

SERVICE & CIVILITY

www.wilbrad.com.au

ALIFROST® OFFERS REAL-WORLD ADVANTAGES

AliFrost® is a range of aluminium framed Perspex® doors & panels that give a superior glass appearance without the design limitations, installation, weight, safety and colour restrictions of traditional glass framed cabinet doors.

With an exclusive range of 10 European designed frames, combined with over 40 of the latest decorative Perspex® and AliMesh® colours, AliFrost® offers a modern look at a cost effective price.

AliFrost® doors are fashionable, practical, hygienic, safe and long lasting. They are made in Australia, from environmentally friendly materials, by a company you can trust.

AliFrost® doors can be used in conjunction with Blum AVENTOS which comes in four different opening styles. Blum AVENTOS adds perfect motion and revolutionises your kitchen overhead lift system.

ALIFROST® FOR ALFRESCO AREA

Why not customise your Alfresco area with AliFrost® aluminium doors to make it a unique and highly functional outdoor space. Slimline 55 is a great choice for Alfresco Kitchens. Team Slimline 55 with some of the most popular colours such as Cafe Latte 5263 or Black 962 or why not make a statement with Scarlet Rose 4262.




• Alfresco- 43 x 55 Flat ES/Mineral Grey S2 9642



• Alfresco-19 Square/Opal 069



• 55 Slimline/Black 069



• 55 Slimline/Black Linear



ALIFROST® FRAME PROFILES




19 SQUARE CA

- Superior clear anodised (CA) finish
- Hollow construction for rigidity
- Suitable for all insert types
- Integrated handle option available
- Recommended for hinged & bi-fold doors, sliding & lift flap doors



45 X 45 FLAT CA

- Superior clear anodised (CA) finish
- Hollow construction for rigidity
- Suitable for all insert types
- Recommended for hinged doors, lift flap and lift up doors, drawers and sliding doors



43 X 55 FLAT CA

- Superior clear anodised (CA) finish
- Hollow construction for rigidity
- Suitable for all insert types
- Integrated handle option available
- Recommended for hinges doors, lift flap and lift up doors, drawers and sliding doors



45 X 45 FLAT BS - BRUSHED STAINLESS

- Superior brushed stainless (BS) finish
- Hollow construction for rigidity
- Suitable for all insert types
- Recommended for hinged doors, lift flap and lift up doors, drawers and sliding doors



43 X 55 FLAT ES - EURO STAINLESS

- Superior Euro Stainless (ES) finish to match latest in European appliances
- Hollow construction for rigidity
- Suitable for all insert types
- Recommended for hinged doors, lift flap and lift up doors, drawers and sliding doors



6 X 45 BOX CA

- Superior clear anodised (CA) finish
- Hollow construction for rigidity
- Suitable for all insert types
- Highly recommended for use with glass as a vanity mirror door




9 X 55 BOX CA

- Superior clear anodised (CA) finish
- Hollow construction for rigidity
- Suitable for all insert types
- Integrated handle option available
- Recommended for hinged doors, lift flap and lift up doors, drawers and sliding doors



6 X 45 BOX PS - POLISHED SILVER

- Polished silver (PS) finish with anti-scratch ribbed back
- Hollow construction for rigidity
- Suitable for all insert types
- Highly recommended for use with glass as a vanity mirror door



ALIHANDLE

- Superior clear anodised (CA) finish
- New integrated, flush fitted handle option
- Suitable for 19 Square, 43x55 Flat CA, 9x55 Box & 55 Slimline
- 50,100, 150mm length options



55 SLIMLINE CA

- Superior clear anodised (CA) finish
- Hollow construction for rigidity
- Suitable for non-translucent (NT) inserts only
- Integrated handle option available
- Highly recommended for use with 3D gloss (acrylic) inserts

ALIFROST® POWDER COATED FRAMES

- Choose any standard frame and have them powder coated in either a gloss or satin finish
- Frames are cut and mitred before powder coating to ensure no raw aluminium edge is visible
- Choose colours from the extensive Dulux powder coat range
- Powder coating used in conjunction with Perspex® inserts creates a stylish dramatic effect

NEW

ALIFROST® INSERTS

Alifrost® doors are available in a wide range of insert options including genuine Perspex® High Gloss, Frost, Pearlescent and Impressions. Glass, 3D Gloss (acrylic), Euromir® reflective acrylic and Alimesh® inserts.

PERSPEX® COLOUR

- Range of ultra high gloss genuine Perspex® acrylic
- Translucent & Non translucent material
- Highly recommended for use with alfresco kitchens
- Available in 10 colours; Black 962, Café latte, Clear 000, Opal 010, Opal 030, Opal 069, Scarlet Rose, Shadow Grey, Vanilla and Green 6T81

PERSPEX® FROST

- Unique double sided finish that won't show finger marks
- Appearance of sand blasted glass
- Translucent & Non translucent options available
- Available in 6 colours; Crystal Clear, Charcoal Dusk, Glacier Green, Hot Chocolate, Polar White & Snow White

PERSPEX® PEARLESCENT

- Soft shimmering metallic lustre appearance which can be further enhanced by altering the light source and direction
- Single sided material
- Non translucent options available only
- Available in 2 colours; Pearl 1PY1 & Platinum 9PY2

Note: shading can occur with Pearlescent product

EUOMIR® REFLECTIVE

- Euomir® is a high quality, European grade acrylic mirror
- Non translucent options available only
- Available in Grey 40 only

- Other insert colours and powder coated frames available upon request

ALIMESH®

- Alimesh® is a perforated one way vision aluminium mesh insert ideal for built in bbq's, home theatres to prevent overheating and speaker covers.
- Available in 4 colours, Clear, Black, White & White Birch
- Highly recommended for use as speaker covers

3D GLOSS (ACRYLIC)

- Optical polymer acrylic that gives a 3D effect for maximum design impact
- Gives a similar depth appearance to painted back glass
- Available in three colours, Arctic, Ivory & Glacier

PERSPEX® IMPRESSIONS

- A range of genuine Perspex® acrylics with a unique embossed texture
- Translucent & Non translucent material
- Available in clear and black finishes

NEW

PERSPEX® NATURALS

- Double sided matte product resistant to surface marks, finger prints and scratching
- Colours inspired by the simple beauty of natural stone
- Available in 6 colours, Light Brown, Dark Brown, Light Grey, Dark Grey, Moonlight White & Midnight Black

NEW

GLASS

- Clear Glass (Toughened)
- Frosted Glass (Toughened)
- Glass safety mirror



• 55 Slimline/Midnight Black

ALIFROST® INSERT OPTIONS

PERSPEX® - ULTRA HIGH GLOSS

- 01 Black 962
- 02 Café Latte 5263
- 03 Clear 000
- 04 Opal 010* - 70% LT
- 05 Opal 030 - 70% LT
- 06 Opal 069 - 9% LT
- 07 Scarlet Rose 4262
- 08 Shadow Grey 9563
- 09 Vanilla 82880
- 10 Green 6T81 (NEW)

PERSPEX® FROST - ANTI FINGERMARK FINISH

- 11 Crystal Clear S2000
- 12 Charcoal Dusk S29T23
- 13 Glacier Green S26T21
- 14 Hot Chocolate S25T33
- 15 Polar White S2030
- 16 Snow White S21T41
- 17 Moonlight White S2 1T41 (NEW)
- 18 Midnight Black S2 9221 (NEW)
- 19 Light/Desert Beige S2 5268 (NEW)
- 20 Dark/Walnut Brown S2 5269 (NEW)
- 21 Dark/Mineral Grey S2 9643 (NEW)

PERSPEX® PEARLESCENT - METALLIC LUSTRE

- 22 Pearl 1PY1
- 23 Platinum 9PY2

EUROMIR® - DECORATIVE ACRYLIC MIRROR

- 24 Grey 40

GLASS

- 25 Clear Glass (Toughened)
- 26 Frosted Glass (Toughened)
- 27 Glass Safety Mirror

ALIMESH® - ONE WAY VISION ALUMINIUM MESH IDEAL FOR SPEAKER COVERS.

- 28 Clear Anodised 00001
- 29 Black 19268
- 30 White 81880
- 31 White Birch 37131

NEW 3D GLOSS (ACRYLIC) - GIVES A 3D EFFECT LIKE PAINTED BACK GLASS, BUT WITHOUT THE COST

- 32 Arctic 3D
- 33 Ivory 3D
- 34 Glacier 3D

NEW PERSPEX® IMPRESSIONS - A RANGE OF EMBOSSED TEXTURED PERSPEX® ACRYLICS

- 35 Clear Linear
- 36 Opal P1 030 (NEW)
- 37 Grey P1 9T1D (NEW)
- 38 Black P1 9221
- 39 Brown P1 5T23 (NEW)

Other inserts available on request

Painted back glass & selected Perspex®

*Colours shown are an illustrative guide only, final decisions should be made from actual samples.



= TRANSLUCENT LT = LIGHT TRANSMISSION LEVEL



BLUM AVENTOS®

Add perfect motion to your AliFrost® doors with Blum's range of overhead lift systems. With easy opening features and integrated BLUMOTION, the AVENTOS range provides perfect movement, a modern design and a quick & simple assembly and adjustment program. For added functionality AVENTOS is now available with SERVO-DRIVE the electrical opening system.

The Blum AVENTOS lift system allows overhead doors to open and close in a completely smooth motion, even under weight or when closed with force. Integrated BLUMOTION means doors close silently and effortlessly. AVENTOS lift systems are not applicable for use with 19mm narrow aluminium frame doors.

AVENTOS HF FOR BI-FOLD LIFT SYSTEMS

Two door fronts fold in the middle when opening. This ensures easy access to the handle in any position for high wall cabinets.

AVENTOS HF is suitable for carcass widths up to 1800mm and for carcass heights of 480-1040mm. One, two or three lift mechanisms and the respective telescopic arms are required depending on the carcass width.



AVENTOS HS FOR UP & OVER LIFT SYSTEM

The front swings gently over the cabinet and makes storage space easily accessible. The space requirement over the cabinet is reduced to a minimum.

The AVENTOS HS up & over system is ideal for large area, single fronts as well as for cabinets with cornice or crown moulding. AVENTOS HS is suitable for carcass widths up to 1800mm and carcass height from 350-800mm. The system comprises of nine different lift mechanisms to suit all carcass size and door weight combinations.



AVENTOS HL FOR PARALLEL LIFT UP SYSTEM

The front is lifted vertically. This makes this lift system an optimal solution for high wall cabinets and appliance housings.

This lift system is ideal for applications in tall wall cabinets with additional fronts above or appliance housing.

It is suitable for carcass widths up to 1800mm and carcass heights from 300-580mm. It comprises 5 different lift mechanisms and 4 lever arms to suit all carcass size and door weight combinations.



 **blum**®

AVENTOS HK FOR STAY LIFTS

Suitable for high cabinet applications, over the refrigerator or in the wall cabinet.

With AVENTOS HK, the front lifts up. This makes it especially well-suited for lift systems in wall cabinets where there are height restrictions, applications in tall cabinets and over the refrigerator. The AVENTOS HK system is suitable for carcass widths up to 1800mm and a maximum height of 205-600mm. The lift mechanism depends on the size of the carcass. Also available in a TIP-ON version for handle-less design.



AVENTOS HK-S FOR SMALL STAY LIFTS

Lift up system for doors up to 400mm high. As with all AVENTOS systems, the variable stop allows for small stay lifts to stop in any desired position.

AVENTOS HK-S follows the same lift pattern as the HK stay lift system but is specially designed for doors up to 400mm high. Compared to the HK mechanism the HK-S is considerably smaller, making it perfect for use with smaller overhead units. Also available in a TIP-ON version for handle-less design.




SERVO-DRIVE

SERVO-DRIVE the electrical opening system can be used in conjunction with AVENTOS overhead lift systems to create an easy open and close system.

- Easy opening with a light touch on the front of the door
- Closes automatically with a press of a button
- Integrated collision protection
- Integrated BLUMOTION provides silent & effortless closing action
- Uniform cabling system for wall and base cabinet
- Easy assembly & cabling
- Internationally certified

Note: SERVO-DRIVE not suitable for AVENTOS HK-S





Melbourne

94 Bell Street
Preston VIC 3072
P. 03 9495 8900
F. 03 9416 8878

Sydney

Unit4, 3 Basalt Road
Greystanes NSW 2145
P. 02 8863 2700
F. 02 9636 8822

Hobart

sales@wilbrad.com.au

Brisbane

2/60 Enterprise Place
Tingalpa QLD 4173
P. 07 3890 8611
F. 07 3890 3375

Perth

43 Prosperity Ave
Wangara WA 6065
P. 08 9303 2644
F. 08 9303 9788

Adelaide

41 Weaver Street
Edwardstown SA 5039
P. 08 8276 3800
F. 08 8276 3755

