

Blum's solution for narrow cabinets

Technical data sheet

www.blum.com



NARROW CABINETS



Product concept

Practical Solution

Blum's idea for narrow cabinets offers a simple option for making use of even the smallest storage space in the kitchen, without compromising stability and quality of motion. Depending on requirements, this solution can be based on BOX systems or wooden drawers with the appropriate runner systems.



Application Overview

TANDEMBOX

blum


Product





Description

- Stable solution thanks to diagonally offset runners
- Ease of use with BLUMOTION soft-close for silent and effortless closing action
- High carrying capacity of 20 kg per base cabinet
- Compatible with TANDEMBOX intivo and TANDEMBOX antaro
- Suitable for cabinet width of 200 mm

Space requirement



Order specification



1A	Cabinet profile left - top runner
1B	Cabinet profile right - bottom runner
2	Drawer sides and cover caps left/right
3	Back fixing left/right
4	Front fixing bracket

i	Notes
	The application above uses one set of cabinet profiles (diagonally offset) and two complete drawers.
	For information on standard TANDEMBOX components, please see the respective product brochures or the catalogue.


TANDEMBOX





Planning Information

Planning


Space requirements in cabinet





X =

		
Height	TANDEMBOX antaro	TANDEMBOX intivo
M	65.5 mm	65.5 mm
B	127 mm	–
C	163 mm	–
D	195 mm	191 mm

Front installation dimensions




Y =

		
Height	TANDEMBOX antaro	TANDEMBOX intivo
M	–	–
B	64 mm	–
C	96 mm	–
D	128 mm	96 mm
With double gallery	64/64 mm	–


FA Front overlay

Planning


Back installation dimensions




Height M



Height B





Height C



Height D

Cutting dimensions for 16 mm chipboard



KB Cabinet width
LW Inner cabinet width
NL Nominal length

Back heights

Height	TANDEMBOX antaro	TANDEMBOX intivo
M	84 mm	84 mm
B	135 mm	–
C	167 mm	–
D	199 mm	199 mm

TANDEM

blum

Application Overview


Product



Description

- Stable solution thanks to diagonally offset runners
- Blum ease of use with BLUMOTION soft-close for silent and effortless closing action
- High carrying capacity of 20 kg per base cabinet
- Suitable for cabinet width of 150 mm

Space requirement



Order specification

1A	Runner left - top runner
1B	Runner right - bottom runner
2	Locking device left/right

i




Notes

The application above uses one set of runners (diagonally offset) and two complete drawers.



For information on standard TANDEM components, please see the respective product brochures or the catalogue.

Planning


Drawers



Locking device feature of drawer assembly




Product





Description

- Stable solution thanks to diagonally offset runners
- Blum ease of use with BLUMOTION soft-close for silent and effortless closing action
- High carrying capacity of 20 kg per base cabinet
- Suitable for cabinet width of 200 mm

Space requirement



Order specification




1A	Runner left - top runner
1B	Runner right - bottom runner
2	Locking device left/right

i	Notes
	The application above uses one set of runners (diagonally offset) and two complete drawers.
	For information on standard TANDEM components, please see the respective product brochures or the catalogue.

Planning


Drawers



* + 1 mm for assembly of the cabinet profile on the horizontal cabinet side

** Limited side adjustment for a drawer side panel thickness of 16 mm, but with full tolerance utilisation of the internal width of the drawer SKW.

Drawer assembly



Sophisticated, tried-and-tested motion technology supports easy opening and soft-close furniture solutions by Blum. Your customers will enjoy ease of use and quality of motion in their furniture.



BLUMOTION soft-close

With BLUMOTION soft-close, drawers and pull-outs will close silently and effortlessly; regardless of how much force is used, how heavily laden the drawers or pull-outs are, or how heavy the fronts are. BLUMOTION soft-close adapts itself to the size, weight and speed of the closing furniture and is integrated into virtually all of our fitting solutions; including our narrow cabinet solutions for TANDEMBOX intivo and TANDEMBOX antaro, MOVENTO and TANDEM.




SERVO-DRIVE electrical opening

SERVO-DRIVE electrical motion support system opens handle-less fronts for drawers and pull-outs with just a light touch. A gentle pull on handles will also trigger the opening impulse.

The narrow cabinet solution for TANDEMBOX, MOVENTO and TANDEM with integrated BLUMOTION soft-close, can be combined with SERVO-DRIVE uno (single set Z10D0311) to achieve a complete solution for effortless opening and closing.

Place the SERVO-DRIVE uno unit on the left side of the cabinet and ensure the lever is pointing down (see image below for measurements).



Internal measurements for a D-height TANDEMBOX antaro pull-out. Minimum space required: Min. LT = NL + 35

i Note

For more information on combining narrow cabinets with SERVO-DRIVE uno please contact your local Blum representative.

A kitchen has to be fit for everyday use and should not only look good but be practical too. Blum has been researching the requirements of kitchen users for many years. This has provided insights for Blum to continue to innovate with quality product solutions to make modern kitchens highly practical. With DYNAMIC SPACE, Blum aims to inspire its customers and partners by sharing valuable insights.



Workflow - Simple workflows, easy access

A practical interior with well-thought-out solutions ensures workflows are smooth and ergonomic. Easy access is assured through full extension runners and the inclusion of ORGA-LINE inner dividing system.



Space - Gain valuable storage space without changing the size of the room

Kitchen furniture should have enough storage space and be easily accessible. When there is a lack of space, practical solutions help ensure available space is used to its fullest potential. Gain additional space by using pull-outs with closed side panels or deeper drawers. Blum cabinet solutions for corners or the sink area also create additional usable space.



Motion - Superior quality of motion and enhanced user convenience

Quality of motion is the driving force behind the entire development and manufacturing process of our products. The result: Function that fascinates furniture users worldwide and guarantees high quality motion for the lifetime of the furniture.

Complementary DYNAMIC SPACE workshops are held frequently in our showrooms nationally.
Contact your local Blum representative or email info.au@blum.com to register your interest.

Experience the mesmerising motion
Blum Showrooms

Sydney (Head Office)
10 Blackbird Close
Len Waters Estate NSW 2171
Ph: 02 9612 5400

Adelaide
179 Railway Terrace
Mile End SA 5031
Ph: 08 8118 6070

Brisbane
6/39-45 Compton Road
Underwood QLD 4119
Ph: 07 3135 9490

Melbourne
4/245 Ferntree Gully Road
Mount Waverley VIC 3149
Ph: 03 9982 1720

Perth
3/50 Howe Street
Osborne Park WA 6916
Ph: 08 6467 0110

All content is copyrighted by Blum
Subject to technical modifications and product
changes without range notice.
Printed in Australia | 1DNR 1.001.43



ISO 9001
Certified Quality
System



ISO 14001
Certified Environmental
System



ISO 50001
Certified Energy
System

Blum Australia Pty. Ltd.
P.O. Box 1615
Green Valley NSW 2168
Toll Free: 1800 179 186
E-Mail: info.au@blum.com
www.blum.com

 **blum**®